

LUC-444/Clark 12-11

4

**AMENDMENTS IN THE CLAIMS**

1. (Currently amended) A network, comprising:

a service control component that provides to one or more telephony devices of a plurality of telephony devices on a call, one or more services associated with one or more numbers associated with the one or more telephony devices on the call; and

one or more application server components connected to the service control component and one or more switch components, the one or more application server components being configured to [[which]]

cooperate with the service control component through employment of a Session Initiation Protocol to establish one or more data streams to communicate information between the service control component and the one or more application server components to provide the one or more services,

communicate with the one or more switch components via the Session Initiation Protocol, and

cooperate with the service control component and the one or more switch components to transmit one or more user inputs for the call;

~~wherein the service control component and the one or more application server components cooperate through employment of the one or more data streams to obtain a first portion of the information from the one or more application server components and a second portion of the information from the service control component.~~

2. (Canceled)

LUC-444/Clark 12-11

5

1           3.     (Previously presented) The network of claim 1, wherein the one or more  
2     numbers associated with the one or more telephony devices on the call comprise one  
3     number associated with one telephony device on the call, and wherein one application  
4     server component of the one or more application server components is associated with  
5     the one number associated with the one telephony device on the call; and

6           wherein the service control component and the one application server  
7     component associated with the one number associated with the one telephony device  
8     establish one or more of the one or more data streams associated with the call; and

9           wherein the service control component and the one application server  
10    component employ the one or more of the one or more data streams associated with  
11    the call to provide the one or more services associated with the one number associated  
12    with the one telephony device.

1           4.     (Previously presented) The network of claim 3, wherein the service control  
2     component and the one application server component communicate information  
3     associated with the one number associated with the one telephony device through  
4     employment of the one or more of the one or more data streams; and

5           wherein the service control component and the one application server  
6     component employ the information to provide the one or more services to the one  
7     telephony device.

1           5.     (Previously presented) The network of claim 4, wherein the one or more  
2     services comprise one or more routing services, wherein the service control component  
3     employs the information to evaluate the one or more routing services; and

LUC-444/Clark 12-11

6

4 wherein the service control component communicates with a switch component  
5 to route the call based on the one or more routing services.

1 6. (Previously presented) The network of claim 1, wherein the service control  
2 component obtains information from one or more of the one or more telephony devices  
3 on the call through the one or more numbers.

1 7. (Previously presented) The network of claim 6, wherein the one or more of  
2 the one or more telephony devices on the call are associated with one or more  
3 application server components, and wherein the service control component and the one  
4 or more application server components cooperate to communicate information  
5 associated with the one or more of the one or more telephony devices; and

6 wherein the service control component and the one or more application server  
7 components cooperate through employment of the information in the data stream to  
8 provide one or more of the one or more services to the one or more of the one or more  
9 telephony devices.

1 8. (Previously presented) The network of claim 1, wherein one or more  
2 identifiers comprise one or more addresses associated with the service control  
3 component; and

4 wherein the service control component selects one or more of the one or more  
5 identifiers to associate with the call; and

6 wherein the service control component employs the one or more of the one or  
7 more identifiers to establish one or more of the one or more data streams associated  
8 with the call.

LUC-444/Clark 12-11

7

1           9.     (Canceled)

---

1           10.   (Previously presented) The network of claim 1, wherein one or more  
2   identifiers comprise one or more addresses associated with one or more of the one or  
3   more application server components; and

4           wherein the service control component and the one or more of the one or more  
5   application server components employ the one or more identifiers to establish the one  
6   or more data streams.

1           11.   (Previously presented) The network of claim 10, wherein the service  
2   control component employs the one or more identifiers to initiate one or more of one or  
3   more data stream request messages to the one or more application server components;  
4   and

5           wherein the service control component and the one or more application server  
6   components establish the one or more data streams through employment of one or  
7   more of one or more data stream request messages.

1           12.   (Currently amended) The network of claim 11, wherein one or more  
2   messages associated with the call contain one or more of the one or more identifiers,  
3   and wherein the one or more of the one or more application server components and the  
4   one or more switch components cooperate to insert the one or more of the one or more  
5   identifiers within the one or more messages; and

6           wherein the service control component receives the one or more of the one or  
7   more identifiers from within the one or more messages.

LUC-444/Clark 12-11

8

1           13.   (Previously presented) The network of claim 11, wherein the one or more  
2 of the one or more data stream request messages conform to a data stream control  
3 protocol, and wherein the service control component and the one or more application  
4 server components employ the data stream control protocol to establish the one or  
5 more data streams.

1           14.   (Previously presented) The network of claim 10, wherein the one or more  
2 application server components establish one or more web portals with one or more of  
3 the one or more telephony devices on the call; and  
4           wherein the service control component and the one or more application server  
5 components cooperate in employment of the one or more web portals to communicate  
6 with the one or more of the one or more telephony devices.

1           15.   (Previously presented) The network of claim 14, wherein the service  
2 control component and the one or more application server components receive  
3 information associated with the one or more of the one or more telephony devices  
4 through employment of the one or more web portals.

1           16.   (Previously presented) The network of claim 15, wherein the service  
2 control component and the one or more application server components cooperate  
3 through employment of the information associated with the one or more of the one or  
4 more telephony devices to provide the one or more services to the one or more of the  
5 one or more telephony devices.

LUC-444/Clark 12-11

9

1           17. (Currently amended) The network of claim 1, wherein [[further  
2 comprising:]]

3           the one or more switch components that cooperate with the one or more  
4 telephony devices to establish the call;

5           wherein the service control component communicates with one or more of the  
6 one or more switch components to establish the one or more data streams associated  
7 with the call.

1           18. (Previously presented) The network of claim 17, wherein the one or more  
2 of the one or more switch components employ one or more messages to establish the  
3 call, and wherein the one or more messages contain one or more identifiers associated  
4 with the call, and wherein the one or more identifiers comprise one or more addresses  
5 associated with the one or more application server components; and

6           wherein the service control component communicates with the one or more of  
7 the one or more switch components to receive the one or more identifiers from within  
8 the one or more messages; and

9           wherein the service control component employs the one or more identifiers to  
10 establish the one or more data streams with the application server component.

1           19. (Previously presented) The network of claim 18, wherein the service  
2 control component and the one or more of the one or more switch components employ  
3 one or more service control protocols to associate the identifier with the call.

LUC-444/Clark 12-11

10

1        20. (Previously presented) The network of claim 19, wherein the service  
2 control component and the one or more of the one or more switch components employ  
3 one or more Transactional Capabilities Application Part (TCAP) queries to associate the  
4 identifier with the call.

1        21. (Previously presented) The network of claim 20, wherein the service  
2 control component and the one or more of the one or more switch components employ  
3 one or more Session Initiation Protocol (SIP) queries to associate the identifier with the  
4 call.

1        22. (Previously presented) The network of claim 17, wherein the one or more  
2 of the one or more switch components employ one or more messages to establish the  
3 call, and wherein the one or more messages contain one or more identifiers, and  
4 wherein the one or more identifiers are associated with the one or more service control  
5 component; and

6        wherein the service control component and the one or more of the one or more  
7 switch components cooperate to select the one or more identifiers; and

8        wherein the service control component and the one or more of the one or more  
9 switch components employ the one or more messages to provide the one or more  
10 identifiers associated with the service control component to one or more application  
11 server components associated with the call.

LUC-444/Clark 12-11

11

1           23.   (Currently amended) A method for providing one or more services to one  
2 or more telephony devices on a call, the one or more services being based on  
3 information associated with one or more of the one or more telephony devices on the  
4 call, the method comprising the steps of:

5           establishing communications between one or more service control components  
6 and one or more application server components through a Session Initiation Protocol to  
7 establish one or more data streams based on the information and between the one or  
8 more application server components and one or more switch components via the  
9 Session Initiation Protocol so that the one or more application server components can  
10 cooperate with the service control component and the one or more switch components  
11 to transmit one or more user inputs for the call; and

12           providing the one or more services to the one or more telephony devices based  
13 on the one or more data streams established between the one or more service control  
14 components and the one or more application server components;

15           ~~wherein the service control component and the one or more application server~~  
16 ~~components cooperate through employment of the one or more data streams to obtain a~~  
17 ~~first portion of the information from the one or more application server components and~~  
18 ~~a second portion of the information from the service control component.~~

1           24.   (Canceled)



LUC-444/Clark 12-11

12

1           25. (Previously presented) The method of claim 23, wherein one or more  
2 messages serve to establish the call, and wherein the one or more messages comprise  
3 one or more identifiers associated with the one or more of the one or more application  
4 server components, and wherein the step of establishing the one or more data streams  
5 between the one or more of the one or more service control components and the one or  
6 more of the one or more application server components further comprises the steps of:

7           receiving the one or more identifiers from within the one or more messages; and

8           establishing, by the one or more of the one or more service control components,  
9 the one or more data streams with the one or more of the one or more application  
10 server components associated with the one or more identifiers.

1           26. (Currently amended) A computer-readable medium having computer  
2 executable instructions for performing steps, comprising:

3           means for providing, by one or more service control components communicating  
4 with one or more application server components and one or more switching  
5 components, one or more services to one or more telephony devices on a call through  
6 employment of a Session Initiation Protocol to establish one or more data streams  
7 between the one or more service control components and the one or more application  
8 server components;

9           wherein the one or more application server components cooperate with the  
10 service control component and the one or more switch components to transmit one or  
11 more user inputs for the call; and

LUC-444/Clark 12-11

13

12 wherein the one or more services are based on information associated with one  
13 or more of the one or more telephony devices on the call; and

14 ~~wherein the service control component and the one or more application server~~  
15 ~~components cooperate through employment of the one or more data streams to obtain a~~  
16 ~~first portion of the information from the one or more application server components and~~  
17 ~~a second portion of the information from the service control component.~~

1 27. (Previously presented) The network of claim 1, wherein the one or more  
2 application server components cooperate with the service control component through  
3 employment of the Session Initiation Protocol or a Transfer Control Protocol to establish  
4 the one or more data streams between the service control component and the one or  
5 more application server components to provide the one or more services.

1 28. (Previously presented) The network of claim 1, wherein the one or more  
2 application server components cooperate with the service control component through  
3 employment of the Session Initiation Protocol or a User Datagram Protocol to establish  
4 the one or more data streams between the service control component and the one or  
5 more application server components to provide the one or more services.

1 29. (Previously presented) The network of claim 1, wherein the one or more  
2 application server components and the service control component employ a network  
3 address, a port, and an identification tag to associate the one or more data streams with  
4 one or more calls.

LUC-444/Clark 12-11

14

1           30.   (Previously presented) The network of claim 1, wherein at least one of the  
2   one or more telephony devices is a web-enabled devise.

1           31.   (Previously presented) The network of claim 1, wherein the one or more  
2   application server components employ one or more numbers associated with the one or  
3   more telephony devices to select one or more stored instructions associated with one or  
4   more enhanced call processing services.

1